

® TECHNICKÝ A ZKUŠEBNÍ ÚSTAV STAVEBNÍ PRAHA, s.p. Technical and Test Institute for Construction Prague, SOE

Akreditovaná zkušební laboratoř, Autorizovaná osoba, Notifikovaná osoba, Oznámený subjekt, Subjekt pro technické posuzování, Certifikační orgán, Inspekční orgán • Accredited Testing Laboratory, Authorized Body, Notified Body, Technical Assessment Body, Certification Body, Inspection Body • Prosecká 811/76a, 190 00 Praha 9 • Prosek, Czech Republic

Notified Body 1020

CERTIFICATE OF CONSTANCY OF PERFORMANCE

No. 1020 - CPR - 010022606

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product:

BOARDS OF MINERAL WOOL THERMAL INSULATION

For details see Annex No. 1 to the Certificate

placed on the market under the name or trade mark of

«BELTEP»

JSC «GOMELSTROYMATERIALY» Republic of Belarus 246010 Gomel, Mogilevskaya str. 14 INo: 400051892

and produced in the manufacturing plant:

JSC «GOMELSTROYMATERIALY»

Republic of Belarus 246010 Gomel, Mogilevskaya str. 14 INo: 400051892

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 13162:2012+A1:2015

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

constancy of performance of the construction product.

This certificate was first issued on 29 February 2008 under CPD and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The stamp of the Notified Body 1020

Prague, 24 November, 2021

Ing. Iveta Jiroutová Deputy manager of the Notified Body



® TECHNICKÝ A ZKUŠEBNÍ ÚSTAV STAVEBNÍ PRAHA, s.p. Technical and Test Institute for Construction Prague, SOE

Akreditovaná zkušební laboratoř, Autorizovaná osoba, Notifikovaná osoba, Oznámený subjekt, Subjekt pro technické posuzování, Certifikační orgán, Inspekční orgán • Accredited Testing Laboratory, Authorized Body, Notified Body, Technical Assessment Body, Certification Body, Inspection Body • Prosecká 811/76a, 190 00 Praha 9 • Prosek, Czech Republic

Annex No. 1 to the Certificate of constancy of performance No. 1020 - CPR - 010022606

Name	Thickness [mm]	Reaction to fire class
LIGHT	40 - 200	A1
LIGHT EXTRA	50 - 200	A1
UNIVERSAL	30 - 200	A1
VENT 25	30 - 200	A1
VENT 50	30 - 200	A1
FACADE	50 - 200	A1
FACADE T	50 - 200	A1
FACADE Pro	100 - 180	A1
FACADE 12	40 - 180	A1
FACADE 15	40 - 160	A1
FACADE 95	50 - 200	A1
FLOOR 125	30 - 180	A1
FLOOR 190	30 - 150	A1
ROOF 30	50 - 200	A1
ROOF 35	60 - 180	A1
ROOF 50	80 - 160	A1
ROOF 60	40 - 150	A1
ROOF B60	30 - 60	A1
ROOF 70	40 - 150	A1
ROOF 70 Basis	80 - 160	A1
ROOF 80	30 - 150	A1

This Annex is an integral part of the Certificate of constancy of performance No. 1020 – CPR – 010022606.

The stamp of the Notified Body 1020 Prague, 24 Noember, 2021



Ing. Iveta Jiroutová Deputy manager of the Notified Body